American Journal of Physiology:
Cell Physiology

No. 1. JANUARY 1995

INVITED REVIEW

Mechanotransduction in vertebrate hair cells: structure and function of the stereociliary bundle
C. M. Hackney and D. N. Furness C1

Kinetics of Na^+/H^+ exchange in vascular smooth muscle cells from WKY and SHR: effects of phorbol ester
G. Hoffmann, Y. Ko, A. Sachinidis, B. O. Göbel, H. Vetter, D. Rosskopf, W. Siffert, and R. Düsing C14

Ca^{2+}-insensitive sustained contraction of skinned smooth muscle after acidic ADP treatment
S. Morimoto and Y. Ogawa C21

Kinetics of 2-deoxyglucose transport in skeletal muscle: effects of insulin and contractions
P. Hansen, E. Gulve, J. Gao, J. Schluter, M. Mueckler, and J. Holloszy C30

Thrombin receptor-activating peptide sensitizes the human endothelial thrombin receptor
H.-J. Kruse, C. Mayerhofer, W. Siess, and P. C. Weber C36

Nitric oxide donor SIN-1 inhibits mammalian cardiac calcium current through cGMP-dependent protein kinase
G. M. Wahler and S. J. Dollinger C45

Effects of intracellular acidosis on Ca^{2+} activation, contraction, and relaxation of frog skeletal muscle
A. J. Baker, R. Brandes, and M. W. Weiner C55

Effects of estrogens on Ca channels in myometrial cells isolated from pregnant rats
T. Yamamoto C64

cAMP-activated Cl^- channels in primary cultures of spiny dogfish (*Squalus acanthias*) rectal gland
D. C. Devor, J. N. Forrest, Jr., W. K. Suggs, and R. A. Frizzell C70

Stimulated osteoclastic and suppressed osteoblastic activity in metabolic but not respiratory acidosis
D. A. Bushinsky C80

Regulatory volume decrease in frog retinal pigment epithelium
J. S. Adorante C89

$G\alpha_q$ and $G\alpha_{13}$ regulate NHE-1 and intracellular calcium in epithelial cells
K. Kitamura, W. D. Singer, A. Cano, and R. T. Miller C101

The iodide channel of the thyroid. II. Selective iodide conductance inserted into liposomes
P. E. Golstein, A. Sener, and R. Beauwens C111

Localization of the Na/Ca exchange-dependent Ca compartment in cultured neonatal rat heart cells
G. A. Langer, S. Y. Wang, and T. L. Rich C119

Role of protein kinase C and tyrosine kinase activity in IFN-γ-induced expression of the class II MHC gene
Y.-J. Lee, R. B. Panek, M. Huston, and E. N. Benveniste C127

Phospholipase A_2 activation in human neutrophils requires influx of extracellular Ca^{2+} and leukotriene B_4
S. Reddy, R. Bose, G. H. Rao, and M. Murthy C138

Osmotic activation of a Na^+-dependent Cl^-/HCO_3^- exchanger
H. P. Reusch, J. Lowe, and H. E. Ives C147

Role for tyrosine kinases in carbachol-regulated Ca entry into colonic epithelial cells
G. Bischof, B. Illek, W. W. Reenstra, and T. E. Machen C154

Extracellular H^+ modulates acetylcholine-activated nonselective cation channels in guinea pig ileum
R. Inoue, Y. Waniishi, and Y. Ito C162

Interaction of cA-kinase and cG-kinase in mediating relaxation of dispersed smooth muscle cells
K. S. Murthy and G. M. Makhlouf C171

ATP-sensitive K channel modulation by products of PLA_2 action in the insulin-secreting HIT cell line
G. T. Eddlestone C181

Cloning, functional expression, and characterization of a PKA-activated gastric Cl^- channel
D. H. Malinowska, E. Y. Kupert, A. Bahinski, A. M. Sherry, and J. Cuppoletti C191

Hypertonic activation of AE2 anion exchanger in *Xenopus* oocytes via NHE-mediated intracellular alkalinization
B. D. Humphreys, L. Jiang, M. N. Chernova, and S. L. Alper C201

Regulation of intracellular pH in J774 murine macrophage cells: H^+ extrusion processes
L. C. McKinney and A. Moran C210

Corticoid-induced differentiation of amiloride-blockable active Na^+ transport across larval bullfrog skin in vitro
M. Takada, H. Yai, and K. Takayama-Arita C218

α-Ketoacids scavenge H_2O_2 in vitro and in vivo and reduce menadione-induced DNA injury and cytotoxicity
K. A. Nath, E. O. Ngo, R. P. Hebbel, A. J. Croatt, B. Zhou, and L. M. Nutter C227

Thin filament regulation of force activation is not essential in single vascular smooth muscle cells
F. V. Brozovich and M. Yamakawa C237

Differential expression of ORCC and CFTR induced by low temperature in CF airway epithelial cells
M. E. Egan, E. M. Schwiebert, and W. B. Guggino C243

Sarcoplasmic reticulum gene expression in pressure overload-induced cardiac hypertrophy in rabbit
H. Matsui, D. H. MacLennan, N. R. Alpert, and M. Periasamy C252

Inhibition of cytochrome *P*-450 reduces voltage-gated K^+ currents in pulmonary arterial myocytes
X.-J. Yuan, M. L. Tod, L. J. Rubin, and M. P. Blaustein C259

SPECIAL COMMUNICATION

Kinetics of $[Ca]_i$ decline in cardiac myocytes depend on peak $[Ca]_i$
D. M. Bers and J. R. Berlin C271

RAPID COMMUNICATION

Modulation of the delayed rectifier K^+ current in neurons by an angiotensin II type 2 receptor fragment
J. Kang, E. M. Richards, P. Posner, and C. Sumners C278

No. 2. FEBRUARY 1995

INVITED REVIEW

Hormonal regulation, pharmacology, and membrane sorting of vertebrate Na^+/H^+ exchanger isoforms
J. Noël and J. Pouysségur C283

Bioelectric characteristics of exon 10 insertional cystic fibrosis mouse: comparison with humans
S. N. Smith, D. M. Steel, P. G. Middleton, F. M. Munkonge, D. M. Geddes, N. J. Caplen, D. J. Porteous, J. R. Dorin, and E. W. F. W. Alton C297

A simple biochemical approach to quantitate rough endoplasmic reticulum
A. K. Rajasekaran, S. A. Langhans-Rajasekaran, R. M. Gould, E. Rodriguez-Boulan, and T. Morimoto C308

Iodoacetate-induced skeletal muscle contracture: changes in ADP, calcium, phosphate, and pH
R. L. Ruff and J. Weissman C317

Troponin I isoforms and differential effects of acidic pH on soleus and cardiac myofilaments
J. Wattanapermpool, P. J. Reiser, and R. J. Solaro C323

Effects of glucocorticoids on transcription factor activation in human peripheral blood mononuclear cells
I. M. Adcock, C. R. Brown, C. M. Gelder, H. Shirasaki, M. J. Peters, and P. J. Barnes C331

G protein-mediated suppression of L-type Ca^{2+} current by interleukin-1β in cultured rat ventricular myocytes
S. Liu and K. D. Schreur C339

Na^+ channels in membrane vesicles from intralobular salivary ducts
A. Moran, V. H. Davis, and R. J. Turner C350

Properties of gap junction channels formed of connexin 45 endogenously expressed in human hepatoma (SKHep1) cells
A. P. Moreno, J. G. Laing, E. C. Beyer, and D. C. Spray C356

Angiotensin-converting enzyme inhibition, intracellular Na^+, and Na^+-K^+ pumping in cardiac myocytes
L. C. Hool, D. W. Whalley, M. M. Doohan, and H. H. Rasmussen C366

cGMP antagonizes angiotensin-mediated phosphatidylcholine hydrolysis and C kinase activation in mesangial cells
R. L. Barnett, L. Ruffini, L. Ramsammy, R. Pasmantier, M. M. Friedlaender, and E. P. Nord C376

Leukoregulin is a potent inducer of hyaluronan synthesis in cultured human orbital fibroblasts
T. J. Smith, H.-S. Wang, and C. H. Evans C382

Permeation and gating properties of a cloned renal K^+ channel
S. Chepilko, H. Zhou, H. Sackin, and L. G. Palmer C389

Osmotic regulation of synthesis of glycerophosphocholine from phosphatidylcholine in MDCK cells
E. D. Kwon, K. Y. Jung, L. C. Edsall, H.-Y. Kim, A. García-Pérez, and M. B. Burg C402

Downregulation of the oxytocin receptor on cultured astroglial cells
D. Di Scala-Guenot and M.-T. Strosser C413

Sensitive detection of myosin heavy chain composition in skeletal muscle under different loading conditions
S. P. Fauteck and S. C. Kandarian C419

Activation of CFTR Cl^- conductance in polarized T84 cells by luminal extracellular ATP
M. J. Stutts, E. R. Lazarowski, A. M. Paradiso, and R. C. Boucher C425

Regulation of Na^+/H^+ exchange activity by recruitment of new Na^+/H^+ antiporters: effect of calyculin A
H. Guizouarn, F. Borgese, B. Pellissier, F. Garcia-Romeu, and R. Motais C434

Characterization of plasminogen system on rat yolk sac carcinoma (L2) cells
J. J. Kanalas C442

Subcellular localization of PEPCK and metabolism of gluconeogenic substrains of renal cell lines
T. Holcomb, N. P. Curthoys, and G. Gstraunthaler C449

Smooth muscle stretch-activated phospholipase C activity
H. Matsumoto, C. B. Baron, and R. F. Coburn C458

Changes in contractile protein mRNA accumulation in response to spaceflight
K. A. Esser and E. C. Hardeman C466

Intestinal epithelia (T84) possess basolateral ligands for CD11b/CD18-mediated neutrophil adherence
C. A. Parkos, S. P. Colgan, A. E. Bacarra, A. Nusrat, C. Delp-Archer, S. Carlson, D. H. C. Su, and J. L. Madara C472

Effect of physiological ADP concentrations on contraction of single skinned fibers from rabbit fast and slow muscles
P. B. Chase and M. J. Kushmerick C480

Modulation of a potassium conductance in developing skeletal muscle
S. J. Wieland and Q.-H. Gong C490

Perichondrial localization of ET_A receptor in rat tracheal and xiphoid cartilage and in fetal rat epiphysis
K. M. Lodhi, H. Sakaguchi, S. Hirose, S. Shibabe, and H. Hagiwara C496

Depletion and filling of intracellular calcium stores in vascular smooth muscle
L. A. Blatter C503

Mechanical power and myosin composition of soleus and extensor digitorum longus muscles of *ky* mice
G. Maréchal, G. R. Coulton, and G. Beckers-Bleukx C513

Impaired EDRF production by endothelial cells exposed to fibrin monomer and FDP
J. E. Freedman, A. Fabian, and J. Loscalzo C520

Further evidence of incomplete neural control of muscle properties in cat tibialis anterior motor units
G. A. Unguez, R. R. Roy, D. J. Pierotti, S. Bodine-Fowler, and V. R. Edgerton C527

No. 3. MARCH 1995

INVITED REVIEW

Molecular determinants of ion conduction and inactivation in K^+ channels
M. Kukuljan, P. Labarca, and R. Latorre C535

Aldosterone stimulation of GTP hydrolysis in membranes from renal epithelia
S. Sariban-Sohraby, F. Mies, M. Abramow, and R. S. Fisher C557

Phosphorylation of dense-plaque proteins talin and paxillin during tracheal smooth muscle contraction
F. M. Pavalko, L. P. Adam, M.-F. Wu, T. L. Walker, and S. J. Gunst C563

PKC-sensitive Cl^- channels associated with ciliary epithelial homologue of pI_{Cln}
M. Coca-Prados, J. Anguíta, M. L. Chalfant, and M. M. Civan C572

Mechanisms of pH_i control and relationships between tension and pH_i in human subcutaneous small arteries
P. Carr, W. McKinnon, and L. Poston C580

A conformation of Na^+-K^+ pump is permeable to proton
X. Wang and J.-D. Horisberger C590

Myosin phosphorylation enhances rate of force development in fast-twitch skeletal muscle
R. Vandenboom, R. W. Grange, and M. E. Houston C596

Lipoxygenase inhibitors block PDGF-induced mitogenesis: a MAPK-independent mechanism that blocks *fos* and *egr*
D. W. A. Beno, J. Mullen, and B. H. Davis C604

Heterogeneous secretion of individual B cells in response to D-glucose and to nonglucidic nutrient secretagogues
D. Bosco, P. Meda, B. Thorens, and W. J. Malaisse C611

Role of Ca^{2+}-activated K^+ channels in electrical activity of longitudinal and circular muscle layers of canine colon
A. Carl, O. Bayguinov, C. W. R. Shuttleworth, S. M. Ward, and K. M. Sanders C619

Metabolite utilization and compartmentation in porcine carotid artery: a study using β-guanidinopropionic acid
E. A. Boehm, J. F. Clark, and G. K. Radda C628

Rectification of whole cell cystic fibrosis transmembrane conductance regulator chloride current
J. L. Overholt, A. Saulino, M. L. Drumm, and R. D. Harvey C636

Intracellular pH modulates the activity of chloride channels in isolated lacrimal gland acinar cells
K. Park and P. D. Brown C647

Protein kinase inhibitor H-89 reverses forskolin stimulation of cardiac L-type calcium current
W. Yuan and D. M. Bers C651

Creatine kinase is required for swelling-activated K-Cl cotransport in dog red blood cells
G. C. Colclasure, J. C. Parker, and P. B. Dunham C660

Impact of nitric oxide on macrophage glucose metabolism and glyceraldehyde-3-phosphate dehydrogenase activity
R. B. Mateo, J. S. Reichner, B. Mastrofrancesco, D. Kraft-Stolar, and J. E. Albina C669

Ca^{2+} depletion prevents anoxic death of hepatocytes by inhibiting mitochondrial permeability transition
J. G. Pastorino, J. W. Snyder, J. B. Hoek, and J. L. Farber C676

Ammonia permeability of erythrocyte membrane studied by ^{14}N and ^{15}N saturation transfer NMR spectroscopy
R. J. Labotka, P. Lundberg, and P. W. Kuchel C686

Angiotensin II decreases inducible nitric oxide synthase expression in rat astroglial cultures
L. J. Chandler, K. Kopnisky, E. Richards, F. T. Crews, and C. Sumners C700

cAMP- but not Ca^{2+}-regulated Cl^- conductance in the oviduct is defective in mouse model of cystic fibrosis
A.-Y. H. Leung, P. Y. D. Wong, S. E. Gabriel, J. R. Yankaskas, and R. C. Boucher C708

Cholinergic activation of phospholipase D in lacrimal gland acini is independent of protein kinase C and calcium
D. Zoukhri and D. A. Dartt C713

Mechanisms of regulatory volume decrease in nonpigmented human ciliary epithelial cells
J. S. Adorante and P. M. Cala C721

Dual activation of the cardiac Ca^{2+} channel α_{1C}-subunit and its modulation by the β-subunit
A. Neely, R. Olcese, P. Baldelli, X. Wei, L. Birnbaumer, and E. Stefani C732

Metabolism of cyclic ADP-ribose in opossum kidney renal epithelial cells
K. W. Beers, E. N. Chini, H. C. Lee, and T. P. Dousa C741

Cerebral microvascular endothelial cell Na-K-Cl cotransport: regulation by astrocyte-conditioned medium
M. E. O'Donnell, A. Martinez, and D. Sun C747

Lysine uptake by human placental microvillous membrane: comparison of system y^+ with basal membrane
T. C. Furesz, A. J. Moe, and C. H. Smith C755

Amiloride-sensitive and HCO_3^--dependent ion transport activated by aldosterone and vasotocin in A6 cells
Y. Doi and Y. Marunaka C762

Isoproterenol increases peripheral $[Ca^{2+}]_i$ and decreases inner $[Ca^{2+}]_i$ in single airway smooth muscle cells
H. Yamaguchi, J. Kajita, and J. M. Madison C771

MODELING IN PHYSIOLOGY

Analysis of possible mechanisms for in vitro oscillations of insulin secretion
L. W. Maki and J. Keizer C780

RAPID COMMUNICATION

Vesicle fusion proteins in rat inner medullary collecting duct and amphibian bladder
N. Franki, F. Macaluso, Y. Gao, and R. M. Hays C792

No. 4. APRIL 1995

INVITED REVIEW

Physiological roles and properties of potassium channels in arterial smooth muscle
M. T. Nelson and J. M. Quayle C799

Protein kinase C regulates the magnitude and stability of CFTR currents in pancreatic duct cells
J. P. Winpenny, H. L. McAlroy, M. A. Gray, and B. E. Argent C823

Increases in $[Ca^{2+}]_i$ by CCh in adult rat sympathetic neurons are not dependent on intracellular Ca^{2+} pools
S. Foucart, S. J. Gibbons, J. R. Brorson, and R. J. Miller C829

Adenosine attenuates calcium paradox injury: role of adenosine A_1 receptor
J. Suleiman and M. Ashraf C838

UVB radiation-activated genes induced by transcriptional and posttranscriptional mechanisms in rat keratinocytes
C. F. Rosen, R. Poon, and D. J. Drucker C846

c-*myb* Affects intracellular calcium handling in vascular smooth muscle cells
M. Simons, H. Ariyoshi, E. W. Salzman, and R. D. Rosenberg C856

Energy-rich phosphates in slow and fast human skeletal muscle
K. Vandenborne, G. Walter, L. Ploutz-Snyder, R. Staron, A. Fry, K. De Meirleir, G. A. Dudley, and J. S. Leigh C869

Muscarinic suppression of ATP-sensitive K^+ channel in rabbit esophageal smooth muscle
N. Hatakeyama, Q. Wang, R. K. Goyal, and H. I. Akbarali C877

cAMP-independent activation of CFTR Cl channels by the tyrosine kinase inhibitor genistein
B. Illek, H. Fischer, G. F. Santos, J. H. Widdicombe, T. E. Machen, and W. W. Reenstra C886

Cation transport in mouse erythrocytes: role of K^+-Cl^- cotransport in regulatory volume decrease
C. C. Armsby, C. Brugnara, and S. L. Alper C894

Calponin is not phosphorylated during contractions of porcine carotid arteries
L. P. Adam, J. R. Haeberle, and D. R. Hathaway C903

Norepinephrine and ANG II stimulate secretion of TGF-β by neonatal rat cardiac fibroblasts in vitro
S. A. Fisher and M. Absher C910

Regulation of skeletal α-actin promoter in young chickens during hypertrophy caused by stretch overload
J. A. Carson, Z. Yan, F. W. Booth, M. E. Coleman, R. J. Schwartz, and C. S. Stump C918

Signaling and growth responses of LLC-PK_1/Cl_4 cells transfected with the rabbit AT_1 ANG II receptor
K. D. Burns and R. C. Harris C925

Nerve growth factor stimulates rapid metabolic responses in PC12 cells
S. Pitchford, K. De Moor, and B. S. Glaeser C936

Adaptive differentiation of avian exocrine cells alters their pH_i response to mAChR activation
C. Bentz and J.-P. Hildebrandt C944

Circulating hyaluronan levels in the rodent: effects of age and diet
J. Yannariello-Brown, S. H. Chapman, W. F. Ward, T. C. Pappas, and P. H. Weigel C952

Duality of plasmin effect on cytosolic free calcium in human platelets
K. Nakamura, M. Kimura, J. W. Fenton II, T. T. Andersen, and A. Aviv C958

Heart gap junction preparations reveal hemiplaques by atomic force microscopy
R. Lal, S. A. John, D. W. Laird, and M. F. Arnsdorf C968

C-type natriuretic peptide neuromodulates via "clearance" receptors
G. J. Trachte, S. Kanwal, B. J. Elmquist, and R. J. Ziegler C978

Voltage-gated calcium currents have two opposing effects on the secretion of aldosterone
P. Q. Barrett, E. A. Ertel, M. M. Smith, J. J. Nee, and C. J. Cohen C985

Alteration of the sodium current in cat cardiac ventricular myocytes during primary culture
T. E. Schackow, M. F. Sheets, R. S. Decker, and R. E. Ten Eick C993

Electrophysiology of adult cat cardiac ventricular myocytes: changes during primary culture
T. E. Schackow, R. S. Decker, and R. E. Ten Eick C1002

Urea activation of K-Cl transport in human erythrocytes
D. M. Kaji and C. Gasson C1018

Effects of urea on K-Cl cotransport in sheep red blood cells: evidence for two signals of swelling
P. B. Dunham C1026

Isoform-specific induction of the low-density lipoprotein receptor gene by platelet-derived growth factor
C. Rechtoris and T. Mazzone C1033

Regulation of mouse β_3-adrenergic receptor gene expression and mRNA splice variants in adipocytes
J. G. Granneman and K. N. Lahners C1040

MRF4, *Myf-5*, and *myogenin* mRNAs in the adaptive responses of mature rat muscle
J. Jacobs-El, M.-Y. Zhou, and B. Russell C1045

SPECIAL COMMUNICATION

Improved culture conditions stimulate gluconeogenesis in primary cultures of renal proximal tubule cells
G. Nowak and R. G. Schnellmann C1053

RAPID COMMUNICATIONS

Urokinase receptor mediates mechanical force transfer across the cell surface
N. Wang, E. Planus, M. Pouchelet, J. J. Fredberg, and G. Barlovatz-Meimon C1062

Na-K-Cl cotransport regulates intracellular volume and monolayer permeability of trabecular meshwork cells
M. E. O'Donnell, J. D. Brandt, and F.-R. E. Curry C1067

ANNOUNCEMENTS 1075

No. 5. MAY 1995

INVITED REVIEW

Multifunctional transporter models: lessons from the transport of water, sugars, and ring compounds by GLUTs
J. Fischbarg and J. C. Vera C1077

Cell-matrix interaction in bone: type I collagen modulates signal transduction in osteoblast-like cells
J. Green, S. Schotland, D. J. Stauber, C. R. Kleeman, and T. L. Clemens C1090

TNF modulates endothelial properties by decreasing cAMP
S. Koga, S. Morris, S. Ogawa, H. Liao, J. P. Bilezikian, G. Chen, W. J. Thompson, T. Ashikaga, J. Brett, D. M. Stern, and D. J. Pinsky C1104

Histone-induced damage of a mammalian epithelium: the conductive effect
T. J. Kleine, A. Gladfelter, P. N. Lewis, and S. A. Lewis C1114

Distribution of the Na^+/Ca^{2+} exchange protein in developing rabbit myocytes
F. Chen, G. Mottino, T. S. Klitzner, K. D. Philipson, and J. S. Frank C1126

Golgi apparatus is involved in intracellular Ca^{2+} regulation in epithelial LLC-PK_1 cells
X. Zha, S. Chandra, A. J. Ridsdale, and G. H. Morrison C1133

Thrombin-induced mitogenesis in cultured aortic smooth muscle cells requires prolonged thrombin exposure
B. G. Bachhuber, I. J. Sarembock, L. W. Gimple, C. A. McNamara, and G. K. Owens C1141

Reconstitution of immunopurified alveolar type II cell Na^+ channel protein into planar lipid bilayers
O. Senyk, I. Ismailov, A. L. Bradford, R. R. Baker, S. Matalon, and D. J. Benos C1148

Cloning and expression of the β- and γ-subunits of the human epithelial sodium channel
F. J. McDonald, M. P. Price, P. M. Snyder, and M. J. Welsh C1157

Effects of Ba^{2+} and Cs^+ on apical membrane K^+ conductance in toad retinal pigment epithelium
B. A. Hughes, A. Shaikh, and A. Ahmad C1164

Intracellular H^+ inhibits a cloned rat kidney outer medulla K^+ channel expressed in *Xenopus* oocytes
T. D. Tsai, M. E. Shuck, D. P. Thompson, M. J. Bienkowski, and K. S. Lee C1173

Nonselective cation channel activation during wound healing in the corneal endothelium
M. A. Watsky C1179

Altered expression and function of hepatocyte gap junctions after common bile duct ligation in the rat
M. B. Fallon, M. H. Nathanson, A. Mennone, J. C. Sáez, A. D. Burgstahler, and J. M. Anderson C1186

Vascular smooth muscle cell migration mediated by thrombin and urokinase receptor
H. Noda-Heiny and B. E. Sobel C1195

PKC regulates agonist-induced force enhancement in single α-toxin-permeabilized vascular smooth muscle cells
F. V. Brozovich C1202

Primary structure and functional expression of the mouse and frog α-subunit of the gastric H^+-K^+-ATPase
P. M. Mathews, D. Claeys, F. Jaisser, K. Geering, J.-D. Horisberger, J.-P. Kraehenbuhl, and B. C. Rossier C1207

Biphasic regulation of paracellular permeability in human cervical cells by two distinct nucleotide receptors
G. I. Gorodeski, U. Hopfer, B. J. De Santis, R. L. Eckert, E. A. Rorke, and W. H. Utian C1215

The Na^+/H^+ antiport in renal mitochondria
M. Sastrasinh, P. Young, E. J. Cragoe, Jr., and S. Sastrasinh C1227

Cyclic ADP-ribose and related compounds activate sheep skeletal sarcoplasmic reticulum Ca^{2+} release channel
R. Sitsapesan and A. J. Williams C1235

Presence of MRP8 and MRP14 in pancreatic cell lines: differential expression and localization in CFPAC-1 cells
M. Fanjul, W. Renaud, M. Merten, O. Guy-Crotte, E. Hollande, and C. Figarella C1241

Stimulation of Na^+-K^+-ATPase by thyrotropin in cultured thyroid follicular cells
T. A. Pressley, S. C. Higham, L. A. Joson, and D. W. Mercer C1252

Nuclear proteins bind a *cis*-acting element in the smooth muscle α-actin promoter
C. A. McNamara, M. M. Thompson, S. M. Vernon, R. T. Shimizu, R. S. Blank, and G. K. Owens C1259

Mechanisms for the mechanical plasticity of tracheal smooth muscle
S. J. Gunst, R. A. Meiss, M.-F. Wu, and M. Rowe C1267

Protein kinase C-dependent stimulation of Na^+-K^+-ATPase in rat proximal convoluted tubules
E. Féraille, M.-L. Carranza, B. Buffin-Meyer, M. Rousselot, A. Doucet, and H. Favre C1277

Boar sperm plasma membrane Ca^{2+}-selective channels in planar lipid bilayers
S. K. Tiwari-Woodruff and T. C. Cox C1284

Chorda tympani taste response of rat to hydrochloric acid subject to voltage-clamped lingual receptive field
J. A. DeSimone, E. M. Callaham, and G. L. Heck C1295

Characterization and inhibition of 15-lipoxygenase in human monocytes: comparison with soybean 15-lipoxygenase
M. M. Gleason, C. J. Rojas, K. S. Learn, M. H. Perrone, and G. E. Bilder C1301

RAPID COMMUNICATIONS

Locomotive forces produced by single leukocytes in vivo and in vitro
W. H. Guilford, R. C. Lantz, and R. W. Gore C1308

Fractional SR Ca release is regulated by trigger Ca and SR Ca content in cardiac myocytes
J. W. M. Bassani, W. Yuan, and D. M. Bers C1313

No. 6. JUNE 1995

INVITED REVIEW

Placental amino acid transport
A. J. Moe C1321

Resting load regulates vascular sensitivity by a cytosolic Ca^{2+}-insensitive mechanism
Y. Miyagi, S. Kobayashi, J. Nishimura, M. Fukui, and H. Kanaide C1332

Role of NO generation in β-adrenoceptor-mediated stimulation of rabbit airway ciliary motility
J. Tamaoki, A. Chiyotani, M. Kondo, and K. Konno C1342

Caffeine alters cardiac myofilament activity and regulation independently of Ca^{2+} binding to troponin C
F. M. Powers and R. J. Solaro C1348

Transport of iron and other transition metals into cells as revealed by a fluorescent probe
W. Breuer, S. Epsztejn, P. Millgram, and I. Z. Cabantchik C1354

Regulation of angiogenic growth factor expression by hypoxia, transition metals, and chelating agents
J. M. Gleadle, B. L. Ebert, J. D. Firth, and P. J. Ratcliffe C1362

Decreased polysomal HSP-70 may slow polypeptide elongation during skeletal muscle atrophy
Z. Ku, J. Yang, V. Menon, and D. B. Thomason C1369

Decrease in heart peptide initiation during head-down tilt may be modulated by HSP-70
V. Menon, J. Yang, Z. Ku, and D. B. Thomason C1375

Altered E-C coupling in triads isolated from malignant hyperthermia-susceptible porcine muscle
R. El-Hayek, M. Yano, B. Antoniu, J. R. Mickelson, C. F. Louis, and N. Ikemoto C1381

Activation of heat-shock transcription factor in rat heart after heat shock and exercise
M. Locke, E. G. Noble, R. M. Tanguay, M. R. Feild, S. E. Ianuzzo, and C. D. Ianuzzo C1387

Rat muscle branched-chain ketoacid dehydrogenase activity and mRNAs increase with extracellular acidemia
B. K. England, S. Greiber, W. E. Mitch, B. A. Bowers, W. J. Herring, M. McKean, R. G. Ebb, S. R. Price, and D. J. Danner C1395

Appearance of surfactant-like particles in apical medium of Caco-2 cells may occur via tight junctions
M. J. Engle, M. L. Grove, M. J. Becich, A. Mahmood, and D. H. Alpers C1401

Tetramethylammonium is a muscarinic agonist in rat heart
R. H. Kennedy, R. P. Wyeth, P. Gerner, S. Liu, H. J. Fontenot, and E. Seifen C1414

Extracellular glutamate flux regulates intracellular glutaminase activity in LLC-PK_1-F^+ cells
T. C. Welbourne and X. Mu C1418

Genistein, a tyrosine kinase inhibitor, reduces Ca^{2+} mobilization in swine carotid media
E. M. Gould, C. M. Rembold, and R. A. Murphy C1425

Requirement for Na^+-dependent ascorbic acid transport in osteoblast function
R. T. Franceschi, J. X. Wilson, and S. J. Dixon C1430

HIV-gp120 activates large-conductance apamin-sensitive potassium channels in rat astrocytes
J. K. Bubien, E. N. Benveniste, and D. J. Benos C1440

A cloned renal epithelial Na^+ channel protein displays stretch activation in planar lipid bilayers
M. S. Awayda, I. I. Ismailov, B. K. Berdiev, and D. J. Benos C1450

Constitutively active mutant $G_s\alpha$ (G225T) and null-mutant $G\alpha_{i\text{-}2}$ (G203T) induce primitive endoderm from stem cells
P. Gao, D. C. Watkins, and C. C. Malbon C1460

NAD-dependent 11β-hydroxysteroid dehydrogenase in cultured human colonic epithelial cells
W. B. Reeves C1467

Quasi-linear relationship between Gibbs free energy of ATP hydrolysis and power output in human forearm muscle
J. A. L. Jeneson, H. V. Westerhoff, T. R. Brown, C. J. A. van Echteld, and R. Berger C1474

Inositol phosphate structural requisites for Ca^{2+} influx
S. DeLisle, G. W. Mayr, and M. J. Welsh C1485

Intercellular metabolic coupling in canine colon musculature
L. Farraway, A. K. Ball, and J. D. Huizinga C1492

Ca^{2+} and cAMP activate different K^+ conductances in the human intestinal goblet cell line HT29-Cl.16E
D. Merlin, X. Guo, C. L. Laboisse, and U. Hopfer C1503

Microtubule disruption stimulates system A transport in cultured vascular smooth muscle cells
J.-G. Chen, A. B. Strawbridge, and S. A. Kempson C1512

Identification and function of A_1 adenosine receptors in normal and cystic fibrosis human airway epithelial cells
D. E. McCoy, E. M. Schwiebert, K. H. Karlson, W. S. Spielman, and B. A. Stanton C1520

Na^+ and K^+ effect on contractility of frog sartorius muscle: implication for the mechanism of fatigue
R. Bouclin, E. Charbonneau, and J. M. Renaud C1528

MODELING IN PHYSIOLOGY

Intercellular calcium waves mediated by diffusion of inositol trisphosphate: a two-dimensional model
J. Sneyd, B. T. R. Wetton, A. C. Charles, and M. J. Sanderson C1537

RAPID COMMUNICATIONS

Vasopressin increases AQP-CD water channel in apical membrane of collecting duct cells in Brattleboro rats
T. Yamamoto, S. Sasaki, K. Fushimi, K. Ishibashi, E. Yaoita, K. Kawasaki, F. Marumo, and I. Kihara C1546

cAMP-independent regulation of CFTR by the actin cytoskeleton
A. G. Prat, Y.-F. Xiao, D. A. Ausiello, and H. F. Cantiello C1552

Subject Index to Volume 37 C1563
Author Index to Volume 37 C1577